

Frequently Asked Questions

From:

Pierre Bédard

Technicien Sénior

Laboratoires des mines et sciences minérales- CANMET

555, rue Booth, pièce 404

Ottawa (Ontario) Canada K1A 0G1

1) What are the dangers, if any, of using Salad Bowl Finish in the shop?

Flammable:

Salad Bowl Finish is a combustible liquid. Combustion may produce carbon monoxide, carbon dioxide, and irritating or toxic vapours and gases.

Inhalation:

Product if inhaled may cause severe irritation or damage (including but not limited to burns, scarring, and ulcerization) to respiratory tract and central nervous system. Signs and symptoms may include weakness, headache, drowsiness, dizziness, swelling, abdominal discomfort, burning sensation, shock or collapse, convulsions, breathing difficulties, nasal perforation, ulceration, heart damage, blindness, bleeding and/or death. NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

Ingestion:

Product if ingested may cause damage (including burns, scarring, and ulcerization) to mouth, throat, stomach, and digestive and central nervous systems. Signs and symptoms may include headache, drowsiness, dizziness, swelling, abdominal discomfort, burning sensation, shock or collapse, convulsions and/or bleeding. Post-ingestion vomituous in the lungs may cause chemical pneumonia.

Skin Contact:

Product may cause skin irritation; signs and symptoms may include drying, cracking, sensitization, reddening, discoloration, blistering and/or swelling.

Eye Contact:

Product may cause eye irritation; signs and symptoms may include a burning sensation, redness, tearing, inflammation, blurred vision, and/or possible transient corneal injury.

Carcinogenicity:

This product contains carcinogens or potential carcinogens as listed by IARC or NTP.

2) What should be done to minimize or avert injury from Salad Bowl Finish?

Protective Equipment:

- Goggles and/or shield, apron, latex gloves, good ventilation (should not be used in a room without good ventilation ex: basement).
- Keep away from heat
- Keep container closed.
- Don't drink alcoholic beverages in presence of acetone.

3) Is there some kind of First Aid item that I could use in case a spillage occurs?

First Aid Measures

Inhalation:

- Remove to fresh air.
- If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
- Get medical attention.

Ingestion:

Aspiration hazard.

- If swallowed, **DO NOT INDUCE VOMITING.**
- Dilute with water or milk.
- **Never gives** fluids if the victim is unconscious or having convulsions.
- Seek medical attention immediately.
- Contact Poison Control Center immediately.

Skin Contact:

- Immediately flush skin with plenty of water for at least 15 minutes.
- Destroy contaminated clothing and shoes.
- Seek medical attention immediately.

Eye Contact:

- Immediately flush eyes with plenty of water for at least 20 minutes.
- Tilt head to prevent chemical from transferring to the uncontaminated eye.
- ***Get medical attention immediately after flushing.***

Spills:

- Combustion may produce carbon monoxide, carbon dioxide, and irritating or toxic vapours and gases.

Storages:

Keep containers closed when not in use. Store in cool well ventilated space away from incompatible materials.

References

Material Safety Data Sheet (MSDS) available at:

<http://www.toolsforworkingwood.com/proding/bh/msds/IB603-00016.pdf>